

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of December 31, 2005
Hunterdon County Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	22	21	0	0	22	20
AIDS-CD4 Only	#	#	#	#	40	37
HIV Only	#	#	#	#	46	43
-----	-----	---	-----	---	-----	---
Total	107	100	#	#	108	100

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
				Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	0	0	White, Not Hispanic	77	72	0	0	77	71
5-12	#	#	Black, Not Hispanic	#	#	#	#	21	19
13-19	#	#	Hispanic	7	7	0	0	7	6
20-29	#	#	Other/Unknown	#	#	#	#	#	#
30-39	22	20	-----	-----	---	-----	---	-----	---
40-49	51	47	Total	107	100	#	#	108	100
50+	30	28							
Unk.	0	0							
-----	-----	---							
Total	108	100							

4. Patient Group	Adult/Adolescent Modified Exposure Categories **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	46	59	0	0	46	44
Injection drug user (IDU)	13	17	13	48	26	25
MSM/IDU	#	#	0	0	#	#
Heterosexual contact***	11	14	11	41	22	21
Risk not reported/other****	#	#	#	#	#	#
-----	-----	---	-----	---	-----	---
Total	78	100	27	100	105	100

	Pediatric Modified Exposure Categories					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other****	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of December 2005.

** 2 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with no other risk identified who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.

**** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of December 31, 2005
Hunterdon County Residents

1. Disease Category	Adult/Adolescent*		Pediatric*		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	43 (27)	35 (83)	0 (0)	0 (.)	43 (27)	35 (83)
Other OI w/o PCP	# (#)	# (#)	# (#)	# (#)	# (#)	# (#)
KS Alone	# (#)	# (#)	# (#)	# (#)	# (#)	# (#)
No Disease Listed	61 (39)	19 (34)	0 (0)	0 (.)	61 (38)	19 (34)
Total	158 (100)	98 (65)	# (#)	# (#)	161 (100)	99 (64)

2. Age *	Cases %		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	#	#	White, Not Hispanic	133	84	0	0	133	83
5-12	0	0	Black, Not Hispanic	#	#	#	#	19	12
13-19	0	0	Hispanic	#	#	#	#	9	6
20-29	16	10	Other/Unknown	0	0	0	0	0	0
30-39	62	39							
40-49	48	30	Total	158	100	#	#	161	100
Over 49	32	20							
Unknown	#	#							
Total	161	100							

4. Patient Group	Adult/Adolescent Modified Exposure Categories **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	91	71	0	0	91	58
Injection drug user (IDU)	19	15	15	52	34	22
MSM/IDU	#	#	0	0	#	#
Heterosexual contact***	7	5	11	38	18	11
Risk not reported/other****	#	#	#	#	#	#
Total	129	100	29	100	158	100

	Pediatric Modified Exposure Categories					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other****	0	0	0	0	0	0
Total	#	#	#	#	#	#

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with no other risk identified who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.

**** Included in this category are persons with transmission categories of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of December 31, 2005
Hunterdon County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	7	7	100%
1985	6	6	100%
1986	6	6	100%
1987	6	6	100%
1988	#	#	#
1989	#	#	#
1990	7	7	100%
1991	9	8	89%
1992	9	8	89%
1993	24	19	79%
1994	11	6	55%
1995	12	7	58%
1996	13	5	38%
1997	7	0	0%
1998	#	#	#
1999	5	#	#
2000	6	#	#
2001	#	#	#
2002	#	#	#
2003	7	0	0%
2004	#	#	#
2005	#	#	#
-----	-----	-----	-----
Total	161	99	61%

New Jersey Division of HIV/AIDS Services

HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2005
Hunterdon County Residents

1. Age *	Cases		2. Race/Ethnicity	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	39	75	0	0	39	75
5-12	#	#	Black, Not Hispanic	#	#	#	#	10	19
13-19	0	0	Hispanic	#	#	#	#	#	#
20-29	11	21	Other/Unknown	#	#	#	#	#	#
30-39	21	40	-----	-----	---	-----	---	-----	---
40-49	15	28	Total	52	100	#	#	53	100
Over 49	5	9							
Unknown	0	0							
-----	-----	---							
Total	53	100							

3. Patient Group	Adult/Adolescent		Modified Exposure		Categories **	
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	18	49	0	0	18	35
Injection drug user (IDU)	8	22	6	40	14	27
MSM/IDU	0	0	0	0	0	0
Heterosexual contact***	6	16	7	47	13	25
Risk not reported/other****	5	14	#	#	7	13
-----	-----	---	-----	---	-----	---
Total	37	100	15	100	52	100

	Pediatric		Modified Exposure		Categories	
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other****	0	0	0	.	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

* Classification at time of first HIV+ test.

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

** 0 patients were diagnosed with HIV as adults, but have evidence of having
been HIV-infected as children. They are counted as adult/adolescent
reports in tables 1 and 2; and as pediatric reports in table 3.

*** Included in this category are persons with no other risk identified
who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.

**** Included in this category are persons with transmission categories of
coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated
to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS
that have subsequently been updated to AIDS. Also not included in these tables are
HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed
HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been
found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of December 31, 2005
Hunterdon County Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	#	#	#	#	103	48
AIDS-CD4 Only	58	28	0	0	58	27
HIV Only	#	#	#	#	53	25
-----	-----	---	-----	---	-----	---
Total	210	100	#	#	214	100

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	172	82	0	0	172	80
5-12	0	0	Black, Not Hispanic	#	#	#	#	29	14
13-19	0	0	Hispanic	#	#	#	#	10	5
20-29	38	18	Other/Unknown	#	#	#	#	#	#
30-39	86	40	-----	-----	---	-----	---	-----	---
40-49	54	25	Total	210	100	#	#	214	100
Over 49	32	15							
Unknown	#	#							
-----	-----	---							
Total	214	100							

4. Patient Group	Adult/Adolescent Modified Exposure Categories **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	109	66	0	0	109	52
Injection drug user (IDU)	27	16	21	48	48	23
MSM/IDU	#	#	0	0	#	#
Heterosexual contact***	13	8	18	41	31	15
Risk not reported/other****	#	#	#	#	#	#
-----	-----	---	-----	---	-----	---
Total	166	100	44	100	210	100

	Pediatric Modified Exposure Categories					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other****	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification at time of first HIV+/AIDS diagnosis.

** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

*** Included in this category are persons with no other risk identified who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.

**** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of December 31, 2005
Hunterdon County Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	9	9	100%
1985	8	8	100%
1986	10	8	80%
1987	13	12	92%
1988	7	5	71%
1989	6	5	83%
1990	16	12	75%
1991	11	9	82%
1992	15	11	73%
1993	19	10	53%
1994	13	#	#
1995	11	5	45%
1996	16	#	#
1997	9	0	0%
1998	6	#	#
1999	8	#	#
2000	#	#	#
2001	12	#	#
2002	10	#	#
2003	#	#	#
2004	#	#	#
2005	5	0	0%
-----	-----	-----	-----
Total	214	106	50%